


If this email should not be displayed properly, please click [here](#)

Version CW 27-2019



Item	<u>62661</u>	<u>63991</u>	<u>63992</u>	<u>61858</u>	<u>63958</u>	<u>63957</u>
SATA Connector	✓ (2 x)	✓ (2 x)	✓ (2 x)	✓	✓	✓ (2 x)
USB Connector	3.0 Type B	3.0 Type B	3.0 Type B	3.0 Type B	3.0 Type C	3.0 Type C
DC jack	✓	✓	✓	✓	✓	✓
Clone button	✓	✓	✓	✓	✓	✓
Backup function				✓		
Delete button			✓			
On / Off switch	✓	✓	✓	✓	✓	✓
for 2.5" HDD	✓	✓	✓	✓	✓	✓
for 3.5" HDD	✓	✓	✓	✓	✓	✓
for SSD	✓	✓	✓	✓	✓	✓
Data transfer rate	to 5 Gbps	to 5 Gbps	to 5 Gbps	to 5 Gbps	to 6 Gbps	to 6 Gbps
LED	✓	✓	✓	✓	✓	✓
Dimensions LxWxH*	149x114x61	151x109x59	151x109x59	153x80x73**	129x75x57	153x110x62
Plug & Play	✓	✓	✓	✓	✓	✓

*in mm / **mounts

Item 62661**Dual Docking Station SATA HDD / SSD to USB 3.0 with Clone Function**



- Connectors:
 - 2 x SATA 6 Gb/s 22 pin receptacle
 - 1 x USB 3.0 Type-B female
 - 1 x DC jack
- Function key:
 - 1 x Clone button
 - 1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs up to SATA 6 Gb/s
- Data transfer rate up to: SuperSpeed 5 Gb/s
- LED indicator for power, access and copy status
- Dimensions (LxWxH): ca. 149 x 114 x 61 mm
- Plug & Play

Item 63991

USB 3.0 Dual Docking Station for 2 x SATA HDD / SSD with Clone Function in Metal Housing



- Connectors:
 - 2 x SATA 6 Gb/s 22 pin receptacle
 - 1 x USB 3.0 Type-B female
 - 1 x DC jack
- Chipset: JMicron JMS561U
- Function key:
 - 1 x Clone button
 - 1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs / SSDs up to SATA 6 Gb/s
- Data transfer rate up to: SuperSpeed 5 Gb/s
- 2 x eject button
- LED indicator for power, access and copy status
- Dimensions (LxWxH): ca. 151 x 109 x 59 mm
- Plug & Play

Item 63992

USB 3.0 Dual Docking Station for 2 x SATA HDD / SSD with Clone and Erase Function in Metal Housing

- Connectors:
 - 2 x SATA 6 Gb/s 22 pin receptacle
 - 1 x USB 3.0 Type-B female
 - 1 x DC jack
- Chipset: Prolific PL2773
- Function key:
 - 1 x clone / erase button
 - 1 x On / Off switch



- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs / SSDs up to SATA 6 Gb/s
- Data transfer rate up to: SuperSpeed 5 Gb/s
- 2 x eject button
- LED indicator for power, access, copy and erase status
- Dimensions (LxWxH): ca. 151 x 109 x 59 mm
- Plug & Play

Clone Function



Backup button

Item 61858

Docking Station SATA HDD zu USB 3.0

- Connectors:
 - 1 x USB 3.0 Type-A male >
 - 1 x SATA 6 Gb/s 22 pin receptacle
 - 1 x DC jack
- Function key:
 - 1 x backup button
- For 2.5" and 3.5" SATA HDD / SSD
- For optical drive drive when using the docking cable
- Data transfer rate up to 5 Gb/s
- With backup function
- LED indicator
- Plug & Play

Item 63958

USB Type-C™ 3.1 Docking Station for 1 x SATA HDD / SSD



- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female
 - 1 x SATA 6 Gb/s 22 pin receptacle
 - 1 x DC jack
- Chipset: Asmedia ASM235CM
- Function key:
 - 1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs up to SATA 6 Gb/s
- Data transfer rate up to 6 Gb/s
- LED indicator for power and access
- Dimensions (LxWxH): ca. 129 x 75 x 57 mm
- Plug & Play

[Item 63957](#)

USB Type-C™ 3.1 Docking Station for 2 x SATA HDD / SSD with Clone Function



- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2)
 - USB Type-C™ female
 - 2 x SATA 6 Gb/s 22 pin receptacle
 - 1 x DC jack
- Chipset: Asmedia ASM1352R
- Function key:
 - 1 x Clone button
 - 1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs up to SATA 6 Gb/s
- Data transfer rate up to 6 Gb/s
- LED indicator for power, access and copy status
- Dimensions (LxWxH): ca. 153 x 110 x 62 mm
- Plug & Play

■ [WHAT IS...?](#)

■ [CATALOGUES & FLYER](#)

■ [NEWSLETTER](#)

Good Idea

From standard
to exotic

to understand technologies
advertising materials for free
always to be informed topically

www.delock.de/infopoint

[Contact](#)

[Overview of the
last newsletters](#)

[Delock Homepage](#)

[Subscribe
Newsletter](#)

[Cancel
Newsletter](#)

DELOCK is a brand of the manufacturer
TRAGANT Handels- und Beteiligungs GmbH
Beeskowdamm 13/15
14167 Berlin / Germany

Commercial Register: HRB 45788
Berlin Charlottenburg
VAT.-Number: DE 156330245
WEEE-Reg.-No.: DE 89394995

All offered products are available, as long as stock lasts.
All brand names listed here are registered trademarks of
their respective companies. Changes, delivery times and
errors are subject to change.