


Delock Placă PCI Express > 2 x Gigabit LAN

Descriere scurta

Placa PCI Express de la Delock oferă două porturi de rețea, cu o rată de transfer a datelor de până la 1.000 Mbps.



Specificatii

- Conectori:
extern: 2 x Gigabit LAN RJ45 mamă
intern: 1 x PCI Express x1, V2.0
- Chipset: Intel 82576
- Rată transfer date:
Ethernet până la 10 Mbps
Fast Ethernet până la 100 Mbps
Gigabit Ethernet până la 1.000 Mbps
PCI Express x1 4 Gbps
- Acceptă IEEE 802.3 / 802.3u / 802.3z / 802.3ab
- Acceptă IEEE 802.3az (Ethernet eficient energetic)
- Acceptă Wake on LAN (WOL - Activare prin LAN)
- Acceptă rețele LAN virtuale IEEE 802.1Q (VLAN)
- Acceptă cadre Jumbo 9k
- Acceptă PXE

Cerinte de sistem

- Windows 7/7-64/8.1/8.1-64/10/10-64
- Linux Kernel 2.6 sau superior
- PC cu slot PCI Express liber

Pachetul contine

- Placă PCI Express
- Consolă minimalistă
- CD cu drivere
- Manual de utilizare

Nr. 89944

EAN: 4043619899449

Țara de origine: China

Pachet: Retail Box



Imagini



General	
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 2.6 sau superior
Interface	
External:	2 x Gigabit LAN RJ45 jack
Internal:	1 x PCI Express x1, V2.0
Technical characteristics	
Chipset:	Intel® 82576
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps
Physical characteristics	
Slot bracket:	low profile standard